

ArtNo	UrPL NR	Designation	Description	Cena, Sk bez DPH	Cena, € bez DPH
-------	------------	-------------	-------------	---------------------	--------------------

KOMPAKTNÉ VÁHY RADU BBK, II.trieda presnosti



BBK 422 Basic

				Konverzný kurz 30,1260 Sk = 1€	
22013025	BBK	BBK 422 - 3 DXS	Váživost 3100g, rozlišení d=0,0/0,1g v rozsazích 600/3100g, ověřovací dílek e=0,1g, velikost 165x165mm	50 500	1 676,29
22013026	BBK	BBK 422 - 3 XS	Váživost 3100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	63 300	2 101,18
22013027	BBK	BBK 422 - 6 DXS	Váživost 6100g, rozlišení d=0,01/0,1g v rozsazích 1200/6100g, ověřovací dílek e=0,1g, velikost 165x165mm	58 800	1 951,80
22013028	BBK	BBK 422 - 6 XS	Váživost 6100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	73 400	2 436,43
22013029	BBK	BBK 422 - 6 DSM	Váživost 6100g, rozlišení d=0,1/1g v rozsazích 1200/6100g, ověřovací dílek e=1g, velikost 200x240mm	43 600	1 447,25
22013030	BBK	BBK 422 - 6 SM	Váživost 6100g, rozlišení d=0,2g, ověřovací dílek e=0,2g, velikost 200x240mm	48 100	1 596,63
22013031	BBK	BBK 422 - 15 DL	Váživost 15100g, rozlišení d=0,1/1g v rozsazích 3500/15100g, ověřovací dílek e=1g, velikost 350x240mm	74 600	2 476,27
22013032	BBK	BBK 422 - 15 LA	Váživost 15100g, rozlišení d=0,5g, ověřovací dílek e=0,5g, velikost 350x240mm	79 100	2 625,64
22013033	BBK	BBK 422 - 35 DL	Váživost 35100g, rozlišení d=0,1/1g v rozsazích 7000/35100g, ověřovací dílek e=1g, velikost 350x240mm	81 100	2 692,03
22013034	BBK	BBK 422 - 35 LA	Váživost 35100g, rozlišení d=0,1g, ověřovací dílek e=1g, velikost 350x240mm	91 300	3 030,60



BBK 432 Count+D65

22013035	BBK	BBK 432 - 3 DXS	Váživost 3100g, rozlišení d=0,0/0,1g v rozsazích 600/3100g, ověřovací dílek e=0,1g, velikost 165x165mm	53 700	1 782,51
22013036	BBK	BBK 432 - 3 XS	Váživost 3100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	66 600	2 210,71
22013037	BBK	BBK 432 - 6 DXS	Váživost 6100g, rozlišení d=0,01/0,1g v rozsazích 1200/6100g, ověřovací dílek e=0,1g, velikost 165x165mm	62 100	2 061,34
22013038	BBK	BBK 432 - 6 XS	Váživost 6100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	76 800	2 549,29
22013039	BBK	BBK 432 - 6 DSM	Váživost 6100g, rozlišení d=0,1/1g v rozsazích 1200/6100g, ověřovací dílek e=1g, velikost 200x240mm	46 900	1 556,79
22013040	BBK	BBK 432 - 6 SM	Váživost 6100g, rozlišení d=0,2g, ověřovací dílek e=0,2g, velikost 200x240mm	51 500	1 709,49
22013041	BBK	BBK 432 - 15 DL	Váživost 15100g, rozlišení d=0,1/1g v rozsazích 3500/15100g, ověřovací dílek e=1g, velikost 350x240mm	77 900	2 585,81
22013042	BBK	BBK 432 - 15 LA	Váživost 15100g, rozlišení d=0,5g, ověřovací dílek e=0,5g, velikost 350x240mm	82 400	2 735,18
22013043	BBK	BBK 432 - 35 DL	Váživost 35100g, rozlišení d=0,1/1g v rozsazích 7000/35100g, ověřovací dílek e=1g, velikost 350x240mm	84 500	2 804,89
22013044	BBK	BBK 432 - 35 LA	Váživost 35100g, rozlišení d=0,1g, ověřovací dílek e=1g, velikost 350x240mm	94 700	3 143,46



BBK 442 Count+

22013045	BBK	BBK 442 - 3 DXS	Váživost 3100g, rozlišení d=0,0/0,1g v rozsazích 600/3100g, ověřovací dílek e=0,1g, velikost 165x165mm	60 500	2 008,23
22013046	BBK	BBK 442 - 3 XS	Váživost 3100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	73 200	2 429,79
22013047	BBK	BBK 442 - 6 DXS	Váživost 6100g, rozlišení d=0,01/0,1g v rozsazích 1200/6100g, ověřovací dílek e=0,1g, velikost 165x165mm	68 800	2 283,74
22013048	BBK	BBK 442 - 6 XS	Váživost 6100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	83 500	2 771,69
22013049	BBK	BBK 442 - 6 DSM	Váživost 6100g, rozlišení d=0,1/1g v rozsazích 1200/6100g, ověřovací dílek e=1g, velikost 200x240mm	53 600	1 779,19
22013050	BBK	BBK 442 - 6 SM	Váživost 6100g, rozlišení d=0,2g, ověřovací dílek e=0,2g, velikost 200x240mm	58 100	1 928,57
22013051	BBK	BBK 442 - 15 DLA	Váživost 15100g, rozlišení d=0,1/1g v rozsazích 3500/15100g, ověřovací dílek e=1g, velikost 350x240mm	84 600	2 808,21
22013052	BBK	BBK 442 - 15 LA	Váživost 15100g, rozlišení d=0,5g, ověřovací dílek e=0,5g, velikost 350x240mm	89 100	2 957,58
22013053	BBK	BBK 442 - 35 DLA	Váživost 35100g, rozlišení d=0,1/1g v rozsazích 7000/35100g, ověřovací dílek e=1g, velikost 350x240mm	91 200	3 027,29
22013054	BBK	BBK 442 - 35 LA	Váživost 35100g, rozlišení d=0,1g, ověřovací dílek e=1g, velikost 350x240mm	101 400	3 365,86



BBK 462 Smart Count

22013055	BBK	BBK 462 - 3 DXS	Váživost 3100g, rozlišení d=0,0/0,1g v rozsazích 600/3100g, ověřovací dílek e=0,1g, velikost 165x165mm	70 700	2 346,81
22013056	BBK	BBK 462 - 3 XS	Váživost 3100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	83 500	2 771,69
22013057	BBK	BBK 462 - 6 DXS	Váživost 6100g, rozlišení d=0,01/0,1g v rozsazích 1200/6100g, ověřovací dílek e=0,1g, velikost 165x165mm	79 100	2 625,64
22013058	BBK	BBK 462 - 6 XS	Váživost 6100g, rozlišení d=0,01g, ověřovací dílek e=0,1g, velikost 165x165mm	93 800	3 113,59
22013059	BBK	BBK 462 - 6 DSM	Váživost 6100g, rozlišení d=0,1/1g v rozsazích 1200/6100g, ověřovací dílek e=1g, velikost 200x240mm	63 900	2 121,09
22013060	BBK	BBK 462 - 6 SM	Váživost 6100g, rozlišení d=0,2g, ověřovací dílek e=0,2g, velikost 200x240mm	68 400	2 270,46
22013061	BBK	BBK 462 - 15 DLA	Váživost 15100g, rozlišení d=0,1/1g v rozsazích 3500/15100g, ověřovací dílek e=1g, velikost 350x240mm	94 800	3 146,78
22013062	BBK	BBK 462 - 15 LA	Váživost 15100g, rozlišení d=0,5g, ověřovací dílek e=0,5g, velikost 350x240mm	99 400	3 299,48
22013063	BBK	BBK 462 - 35 DLA	Váživost 35100g, rozlišení d=0,1/1g v rozsazích 7000/35100g, ověřovací dílek e=1g, velikost 350x240mm	101 500	3 369,18
22013064	BBK	BBK 462 - 35 LA	Váživost 35100g, rozlišení d=0,1g, ověřovací dílek e=1g, velikost 350x240mm	111 600	3 704,44

Options - volitelné příslušenství

22013070	BBK	Resolution / Verification	Verification OIML Class II (fully verified, includes internal calibration weight) (within EU: \m - outside EU: \A)	6 300	209,12
22013071	BBK	Interface 2xRS232	Interfaces Standard + RS232	3 700	122,82
22013072	BBK	Interface RS232/485	Standard + RS485	3 700	122,82

22013073	BBK	Interface RS232/Analog	Standard + Analogue 2nd. Scale interface (not for BBx42x)	8 000	265,55
22013074	BBK	Interface RS232/ETH	Standard + Ethernet (not for BBA425)	9 600	318,66
22013075	BBK	Interface RS232/USB	Standard + USB (slave)	9 600	318,66
22013076	BBK	Interface RS232/DigIO	Standard + Digital I/O	9 600	318,66
22013077	BBK	Interface 2xRS232/485/PS2	RS232 + RS485 + RS232 + PS/2	3 700	122,82
22013078	BBK	Interface 2xRS232/ETH/PS2	RS232 + Ethernet + RS232 + PS/2	9 600	318,66
22013079	BBK	Interface 2xRS232/DigIO/PS2	RS232 + Digital I/O + RS232 + PS/2	9 600	318,66
22013080	BBK	Interface 2xRS232/USB/PS2	RS232 + USB (Slave) + RS232 + PS/2	9 600	318,66
22013081	BBK	Interface 2xRS232/Analog/PS2	RS232 + RS232 + Analogue 2nd. scale + PS/2	8 000	265,55
22013082	BBK	Interface RS232/485/Analog/PS2	RS232 + RS485 + Analogue 2nd. scale + PS/2	8 000	265,55
22013083	BBK	Interface RS232/ETH/Analog/PS2	RS232 + Ethernet + Analogue 2nd. scale + PS/2	17 200	570,94
22013084	BBK	Interface RS232/DigIO/Analog/PS2	RS232 + Digital I/O + Analogue 2nd. scale + PS/2	17 200	570,94
22013085	BBK	Interface RS232/USB/Analog/PS2	RS232 + USB (Slave) + Analogue 2nd. scale + PS/2	17 200	570,94
22013087	BBK	Alibi memory	Alibi memory (only für BBK462)	13 900	461,40
22013088	BBK	Internal Accu Pac	Internal Accu Pac	4 900	162,65
22013089	BBK	External power supply	Connection for external power 12V - 20V	900	29,87
Příslušenství - all BBK models					
21253399		Printer "Sprinter" (Euro)	Printer "Sprinter" (Euro)	14 700	487,95
21302875		Second Display RS-PD/PASM	Second Display RS-PD/PASM	10 000	331,94
21203207		Protective Cover SM for small platform (Spare Part)	Protective Cover SM for small platform (Spare Part)		
21203206		Protective Cover LA for large platform (Spare Part)	Protective Cover LA for large platform (Spare Part)		
22011304		Adapter for Draftshield PG (fitting for XS platform sizes)	Adapter for Draftshield PG (fitting for XS platform sizes)	2 100	69,71
225269		Draftshield PG (fitting to Adapter 22011304) (Must be ordered ar	Draftshield PG (fitting to Adapter 22011304) (Must be ordered ar		
22011967		Relay box 4 (same as for IND4x9 and IND690)	Relay box 4 (same as for IND4x9 and IND690)	9 100	302,06
21254225		RS 232 - Cable with open end for relay box 4 (1.5m)	RS 232 - Cable with open end for relay box 4 (1.5m)	900	29,87
21253677		RS 232 - Cable for Sprinter Printer (1.8m)	RS 232 - Cable for Sprinter Printer (1.8m)	1 600	53,11
21252588		RS 232 - Cable for 2nd Scale / for Zebra Printer (1.8m)	RS 232 - Cable for 2nd Scale / for Zebra Printer (1.8m)	1 800	59,75